# TABLE 1. FLORAL CHECKLIST OF THE RAMONA AIRPORT SITE

HABITAT The entire site is an Annual Grassland

#### **CRYPTOGAMS**

#### Selaginellaceae

Selaginella bigelovii Underw. Spike-Moss

#### **DICOTYLEDONS**

#### Adoxaceae - Adoxus Family

Sambucus mexicana Presl ex D.C. Desert Elderberry

#### Anacardiaceae - Sumac Family

Toxicodendron radicans ssp. diversilobum (T.& G.) Thorne.

## Apiaceae - Carrot Family

\* Foeniculum vulgare Mill. Sweet Fennel

### Asclepiadaceae - Milkweed Family

Asclepias californica Greene. California Milkweed

## Asteraceae - Sunflower Family

Ambrosia psilostachya var. californica (Rydb.)Blake. Ragweed

Baccharis salicifolia (R.P.)Pers. Mule-fat

Brickellia californica (T.& G.)Gray. California Brickellbush

Corethrogyne filaginifolia var. virgata (Benth.) Gray. Virgate Cudweed-Aster

\* Cotula coronopifolia L. Brass-Buttons

Filago californica Nutt. California Filago

Gnaphalium californicum D.C. California Everlasting

Hemizonia sp. (seedling)

Isocoma veneta var. vemonioides (Jeps.) Beauchamp. Coastal Goldenbush

Lasthenia californica D.C. ex Lindley. Goldfields

\* Matricaria matricarioides (Less.)Porter. Pineapple Weed

Microseris lindleyi (D.C.) Gray. Silver Puffs

Senecio californicus D.C. California Butterweed

## Boraginaceae - Borage Family

Amsinckia menziesii (Lehm.)Nels. & Macbr. Rigid Fiddleneck Cryptantha intermedia (Gray)Greene. Nievitas Heliotropium curvassavicum var. oculatum (Heller)Jtn. Salt Heliotrope Pectocarya linearis ssp. ferocula (Jtn.)Thorne. Slender Pectocarya

## Brassicaceae - Mustard Family

- \* Brassica nigra (L.)Koch Black Mustard
- \* Raphanus sativus L. Wild Radish
- \* Sisymbrium irio L. London Rocket

#### Cactaceae - Cactus Family

Opuntia littoralis (Engelm.) Ckll.var. littoralis Coast Prickly-Pear

## Callitrichaceae - Water-Starwort Family

Callitriche longipedunculata Morong. Long-Stalk Water-Starwort

## TABLE 1. FLORAL CHECKLIST OF THE RAMONA AIRPORT SITE (CONTINUED)

## Caryophyllaceae - Pink Family

Cerastium glomeratum Thuill. Mouse-Ear Chickweed

\* Silene gallica L. Common Catchfly

Spergularia bocconii (Scheele) Foucaud. Buccone's Sand-Spurry

\* Stellaria media L. Chickweed

## Chenopodiaceae - Goosefoot Family

Chenopodium californicum (Wats.) Wats. California Goosefoot

\* Chenopodium murale L. Nettle-Leaf Goosefoot

## Convolvulaceae - Morning-Glory Family

Calystegia macrostegia ssp. longiloba (Abrams)Brumm. Morning-Glory Cuscuta ceanothi Behr. Canyon Dodder.

## Crassulaceae - Stonecrop Family

Crassula connata (Ruiz & Pav.) Berger in Engl. & Prantl. Dwarf Stonecrop

## Cucurbitaceae - Gourd Family

Marah macrocarpus (Greene) Greene. Manroot, Wild-Cucumber

### Euphorbiaceae - Spurge Family

Eremocarpus setigerus (Hook.)Benth. Doveweed

## Fabaceae - Pea Family

Lotus argophyllus (Gray)Greene ssp. argophyllus. Silver-leaf Lotus Lotus strigosus Greene. Bishop's Lotus Lupinus bicolor ssp. microphyllus (Wats.)D. Dunn. Lupine Trifolium variegatum var. variegatum Nutt. in T. & G. White Tip Clover

#### Geraniaceae - Geranium Family

- \* Erodium botrys (Cav.) Bertol. Long-beak Filaree
- \* Erodium cicutarium (L.)L'Her. Red-stem Filaree

## Hydrophyllaceae - Waterleaf Family

Phacelia cicutaria ssp. hispida (Gray)Beauch. Caterpillar Phacelia Phacelia paryi Torr.
Phacelia suffrutescens (Parry)Const.

#### Lamiaceae - Mint Family

\* Marrubium vulgare L. Horehound

#### Lythraceae - Loosestrife Family

\* Lythrum hyssopifolia L. Grass Poly

#### Myrtaceae - Myrtle Family

\* Eucalyptus sp.

## Nyctaginaceae - Four-O'Clock Family

Mirabilis californica Gray. Wishbone Plant

## Onagraceae - Evening-Primrose Family

Camissonia bistoria (Nutt. ex T.& G.)Raven. Southern Sun-cup Camissonia strigulosa (F.& M.)Raven. Strigulose Evening-Primrose

# TABLE 1. FLORAL CHECKLIST OF THE RAMONA AIRPORT SITE (CONTINUED)

Papaveraceae - Poppy Family

Eschscholzia californica Cham. var. californica. California Poppy Platystemon californicus Benth. Cream Cups

Plantaginaceae - Plantain Family

Plantago erecta Morris ssp. erecta. Dot-seed Plantain

Polemoniaceae - Phlox Family

Gilia angelensis V. Grant. Grassland Gilia

Polygonaceae - Buckwheat Family

Eriogonum fasciculatum Benth. ssp. fasciculatum Flat-top Buckwheat

Eriogonum fasciculatum ssp. foliolosum (Nutt.)S. Stokes. Interior Flat-top Buckwheat

\* Rumex crispus L. Curly Dock

Portulacaceae - Purslane Family

Calandrinia ciliata var. menziesii (Hook)Macbr. Red Maids

Ranunculaceae - Crowfoot Family

Clematis pauciflora Nutt. in T.& G. Virgin's Bower

Rubiaceae - Madder Family

\* Galium aparine L. Common Bedstraw

Scrophulariaceae - Figwort Family

Antirrhinum nuttallianum Benth. in D.C. Nuttall's Snapdragon Linaria canadensis var. texana (Scheele)Penn. Large Blue Toadflax Onthocarpus purpurascens Benth. var. purpurascens Red Owl's-Clover Scrophularia californica var. floribunda Greene. California Bee Plant

#### **MONOCOTYLEDONS**

Alliaceae - Onion Family

Dichelostemma pulchellum (Salisb.)Heller. Wild-Hyacinth Muilla maritima (Torr.)Wats. Rough Muilla

Liliaceae - Lily Family

Chlorogalum parviflorum Wats. Small-Flower Soap-Plant

## Poaceae - Grass Family

- \* Avena barbata L. Slender Oat
- \* Bromus diandrus Roth. Ripgut Grass
- \* Bromus mollis L. Soft Chess
- \* Bromus rubens L. Red Brome

Distichlis spicata (L.) Greene. Coastal Salt Grass

- \* Hordeum murinum ssp. leporinum (Link)Arcang. Hare Barley
- \* Lamarckia aurea (L.) Moench. Goldentop
- \* Lolium perenne L. English Ryegrass
- \* Poa annua L. Annual Bluegrass
- \* Denotes non-native plant taxa

Animals Observed or Detected on the Ramona Airport Master Plan TABLE 2. SITE.

HABITAT:

E = Eucalyptus
G = Grassland/Pastureland

F = Flyover R = Rock Outcrop

| · · · · · · · · · · · · · · · · · · ·  | *                        | Characteristics              | <b>y</b> |
|--|--------------------------|------------------------------|----------|
| COMMON NAME  | SCIENTIFIC NAME          | Number/Means<br>of Detection | Навітат  |
| REPTILES   |                          |                              |          |
| Phrynosomatidae  |                          |                              |          |
| Granite Spiny Lizard   | Sceloporus orcutti       | 4                            | R        |
| Western Fence Lizard   | Sceloporus occidentalis  | 8                            | R        |
| Side-blotched Lizard   | Uta stansburiana         | 5                            | R        |
| Colubridae (Colubrids)   |                          |                              |          |
| Coachwhip  | Masticophis flagellum    | 1                            | G        |
| Gopher Snake   | Pituophis melanoleucus   | $\bar{1}$                    | Ğ        |
| Viperidae (Vipers)   |                          |                              |          |
| Southern Pacific Rattlesnake   | Crotalus viridis helleri | 1                            | G        |
| BIRDS  |                          |                              |          |
| Ardeidae (Herons and Bitterns)   |                          |                              |          |
| Cattle Egret   | Bubulcus ibis            | 40                           | G        |
| Cathartidae (American Vultures)  |                          |                              |          |
| Turkey Vulture   | Cathartes aura           | 5                            | F        |
| Accipitridae (Hawks, Old World Vultus  | res, and Harriers)       |                              |          |
| Swainson's Hawk  | Buteo swainsoni          | 1                            | E        |
| Red-tailed Hawk  | Buteo jamaicensis        | 4                            | F<br>F   |
| Falconidae (Caracaras and Falcons)   |                          |                              |          |
| American Kestrel   | Falco sparverius         | 1                            | F        |
| Charadriidae (Plovers and Relatives)   |                          |                              |          |
| Killdeer   | Charadrius vociferus     | 6                            | F,G      |
| Columbidae (Pigeons and Doves)   |                          |                              |          |
| Mourning Dove  | Zenaida macroura         | 12                           | F,G      |
| Cuculidae (Typical Cuckoos)  |                          |                              | , , -    |
| Greater Roadrunner   | Geococcyx californianus  | 1                            | Ŕ        |
| Strigidae (Typical Owie)   |                          | -                            |          |
| Strigidae (Typical Owls) Burrowing Owl   | Athene cunicularia       | Scat                         | G,R      |
| There is a Country of the state |                          | ·                            | 0,10     |
| Tyrannidae (Tyrant Flycatchers) Ash-throated flycatcher  | Milandon di              |                              |          |
| Western Kingbird   | Myiarchus cinerascens    | 3                            | E        |
| _  | Tyrannus verticalis      | 12                           | G        |
| Alaudidae (Larks)  |                          | •                            |          |
| Horned Lark  | Eremophila alpestris     | 6                            | G        |
|  |                          |                              |          |

TABLE 2. ANIMALS OBSERVED OR DETECTED ON THE RAMONA AIRPORT MASTER PLAN SITE (CONTINUED).

| COMMON NAME                                    | SCIENTIFIC NAME                         | Number/Means<br>of Detection | Навітат  |
|--|---|------------------------------|----------|
| Hirundinidae (Swallows)                        |   |                              |          |
| Violet-green Swallow                           | 77-1-1-1-1-1                            |                              |          |
| Northern Dough winged Smallen                  | Tachycineta thalassina                  | 4                            | F        |
| Northern Rough-winged Swallow<br>Cliff Swallow | Stelgidopteryx serripennis              | 20                           | F        |
| Cim Swanow                                     | Hirundo pyrrhonota                      | >100                         | F        |
| Corvidae (Jays, Magpies, and Crows)            |   |                              |          |
| Common Raven                                   | Corvus corax                            | 2                            |          |
|  | Corvas corac                            | 2                            | E,F      |
| Mimidae (Mockingbirds and Thrashers)           | )                                       |                              |          |
| Northern Mockingbird                           | Mimus polyglottos                       | 1                            | F        |
| Sturnidae (Starlings)                          | •                                       |                              | _        |
| European Starling                              | C4                                      |                              |          |
| Emopean Staring                                | Sturnus vulgaris                        | 14                           | F,G      |
| Emberizidae (Warblers, Sparrows, Black         | kbirds and Relatives)                   |                              |          |
| Lark Bunting                                   | Calamospiza melanocorys                 | 1                            | <b>C</b> |
| Savannah Sparrow                               | Passerculus sandwichensis               |                              | G        |
| Red-winged Blackbird                           | Agelaius phoeniceus                     | 14                           | G        |
| Tricolored Blackbird                           |   | 10                           | F        |
| Western Meadowlark                             | Agelaius tricolor                       | 8                            | F        |
| Brewer's Blackbird                             | Sturnella neglecta                      | 28                           | G        |
| Diewel's Blackbird                             | Euphagus cyanocephalus                  | 13                           | F,G      |
| Fringillidae (Finches)                         |   |                              |          |
| House Finch                                    | Carpodacus mexicanus                    | 2                            | F        |
|  | •                                       | <b>~</b>                     | 1.       |
| Mammals  |   |                              |          |
| Leporidae (Rabbits and Hares)                  | •                                       |                              |          |
| Desert Cottontail                              | <b>6.1.1</b>                            |                              |          |
|  | Sylvilagus audubonii                    | Observed - 2                 | G        |
| Black-tailed Jackrabbit                        | Lepus californicus                      | Scat                         | G        |
| Sciuridae (Squirrels, Chipmunks, and M         | armote)                                 |                              |          |
| California Ground Squirrel                     | Spermophilus beecheyi                   | 01 1 0                       |          |
| o  | Spermophitus beecheyi                   | Observed - 8                 | G,R      |
| Geomyidae (Pocket Gophers)                     |   |                              |          |
| Botta's Pocket Gopher                          | Thomomys bottae                         | 37 1                         |          |
|  | Thomonys bollae                         | Mounds                       | G        |
| Heteromyidae (Pocket Mice and Kangaro          | oo Rats)                                |                              |          |
| Pacific Kangaroo Rat                           | Dipodomys agilis                        | Scat Russous                 | 70       |
| _  | F - 20 70 20                            | Scat, Burrows                | R        |
| Canidae (Foxes, Wolves, and Relatives)         |   |                              |          |
| Coyote   | Canis latrans                           | Scat                         | C        |
|  | • | Scat                         | G        |

# TABLE 2: FAUNAL OBSERVATIONS

|  |                               | # SURVEYED OCTOBER  |                           |
|--|-------------------------------|---|---------------------------|
| BIRDS  |                               | 1-HR SURVEY   | HABITAT**                 |
| Red-tailed Hawk                              | Buteo jamaicensis             | <b>1</b>  | G                         |
| American Kestrel                             | Falco sparverius              | 2   | G                         |
| Peregrine Falcon                             | Falco peregrinus              | $oldsymbol{1}$ , which is the $oldsymbol{1}$ , $oldsymbol{1}$ | S, G                      |
| Killdeer                                     | Charadrius vociferus          | 4   | <b>G</b>                  |
| Common Snipe                                 | Gallinago gallinago           |   | G                         |
| Morning Dove                                 | Zenaida macroura              | 5.  | G                         |
| Greater Roadrunner                           | Geococcyx californianus       |   | G                         |
| Burrowing Owl                                | Athene cunicularia            | $\hat{m{y}}$ in a set of $m{ar{1}}$ and $m{v}$ in             | G, S                      |
| Anna's Hummingbird                           | Calypte anna                  | 2   |                           |
| Say's Phoebe                                 | Sayornis saya                 |   | Ğ                         |
| Ash-throated Flycatcher                      | Myjarchus cinerascens         | 1*  | S<br>G<br>S               |
| Horned Lark                                  | Eremophila alpestris          | 8*  | G                         |
| Common Raven                                 | Corvus corax                  | 8   | Ď                         |
| Loggerhead Shrike                            | Lanius Tudovicianus           | 2   | S G                       |
|  | Sturnus vulgaris              | 6   | Ď                         |
| European Starling<br>Brown Towhee            | Pipilo fuscus                 | 2   |                           |
|  | Passerculus sandwichensis     | 6   | S<br>G<br>S<br>G          |
| Savannah Sparrow                             | Melospiza melodia             | 4   | Č                         |
| Song Sparrow                                 |                               | 10  | č                         |
| Western Meadowlark                           | Sturnella neglecta            | 2   | G                         |
| Brewer's Blackbird                           | Euphagus cyanocephalus        | 10  | · D P                     |
| House Finch                                  | Capodacus mexicanus           | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1                         | U .                       |
| <u>MAMMALS</u>                               |                               | ABUNDANCE***  | HABITAT**                 |
| Desert Cottontail                            | Sylvilagus audubonii          | C   | <b>S</b> , 124            |
| Black-tailed Jackrabbit                      | Lepus californicus            |   | G, S, D                   |
| California Ground Squirrel                   | Spermophilus beecheyi         | <b>A</b> in i   | G, S                      |
| Coyote                                       | Canis latrans                 | e e e e e e e e e e e e e e e e e e e                         | G, S                      |
| Long-tailed Weasel                           | Mustela frenata               | <b>C</b>  | $\mathbf{G}_{\mathbf{G}}$ |
| Mouse-like Rodents                           | Peromyscus, Perognathus,      | of the second of <b>A</b> ar second                           | G, S                      |
|  | & Dipodymus                   |   |                           |
| Pocket Gopher                                | Thomomys bottae               |   | G, D                      |
| . 현실 경험 경험 경험 경험 등 등 등 등 등 등 등 등 등 등 등 등 등 등 |                               |   |                           |
| REPTILES                                     |                               | ABUNDANCE***  | HABITAT**                 |
| Side-blotched Lizard                         | Uta stansburiana              | 0   | S                         |
| Western Fence Lizard                         | Sceloporus occidentalis       | Č   | S, R                      |
| Granite Spiney Lizard                        | Sceloporus orcutti            |   | Ř                         |
| Western Rattlesnake                          | Crotalus viridis              | n in the second   | S, G, R                   |
| Gopher Snake                                 | Pituophis Melanoleucas        | 0   | S, G, R                   |
|  | TOURING ACTUATION             |   |                           |
| * Observed in July                           |                               |   | D6:ENVIRON.1              |
|  |                               |   |                           |
|  | ub, D = Developed, R = Rock ( | Outcrops  | FLOR/SPECIES              |

Table 4. Sensitive Plants Observed and Potentially Occurring at Ramona Airport

| Common Name<br>(Scientific Name)                                | Status <sup>(1)</sup>   | Preferred Habitat                                | Growth Habit                    | Flowering<br>Period | Potential to<br>Occur On-Site |
|---|---|--|---------------------------------|---------------------|-------------------------------|
| spreading navarretia<br>(Navarretia fossalis)                   | Federal - PT<br>CNPS - List 1B<br>R-E-D 2-3-2                               | vernal pool, vernal swale                        | annual herb                     | Apr-Jun             | observed                      |
| southern tarplant<br>(Hemizonia parryi ssp. australis)          | Federal - former C2<br>CNPS - List 1B<br>R-E-D 3-3-2                        | marsh, vernal pool, grassland                    | annual herb                     | Jun-Nov             | observed                      |
| little mousetail<br>(Myosurus minimus var. apus)                | Federal - former C2<br>CNPS - List 3<br>R-E-D 2-3-2                         | vernal pool                                      | annual herb                     | Mar-Jun             | observed                      |
| San Diego thorn-mint<br>(Acanthomintha ilicifolia)              | Federal - PE State - Endangered CNPS - List 1B R-E-D 2-3-2                  | chaparral, coastal scrub, grassland              | annual herb                     | Apr-Jun             | low                           |
| Orcutt's brodiaea<br>(Brodiaea orcuttii)                        | Federal - former C2<br>CNPS - List 1B<br>R-E-D 1-3-2                        | grasslands, vernal pools, streamside embankments | perennial herb<br>(bulbiferous) | May-Jul             | low                           |
| San Diego button-celery<br>(Eryngium aristulatum ssp. parishii) | Federal - Endangered<br>State - Endangered<br>CNPS - List 1B<br>R-E-D 2-3-2 | vernal pool                                      | herbaceous<br>biennial          | Apr-Jun             | not expected                  |
| Encinitas baccharis<br>(Baccharis vanessae)                     | Federal - PE State - Endangered CNPS - List 1B R-E-D 2-3-3                  | chaparral  | perennial shrub                 | Aug-Nov             | not expected                  |
| slender-pod caulanthus (Caulanthus stenocarpus)                 | Federal - former C2<br>State - Rare   | chaparral  | annual herb                     | Mar-May             | not expected                  |
| Cleveland's golden-star<br>(Muilla clevelandii)                 | Federal - former C2<br>CNPS - List 1B<br>R-E-D 2-2-2                        | grassland and vernal pool                        | perennial herb<br>(bulbiferous) | May                 | not expected                  |
| Gairdner's yumpah<br>(Perideridia gairdneri ssp. gairdneri)     | Federal - former C2<br>CNPS - List 4<br>R-E-D 1-2-3                         | upland forest and chaparral                      | perennial herb                  | Jun-Oct             | not expected                  |

RAMONA AIRPORT BIOLOGICAL RESOURCES REPORT

| Common Name<br>(Scientific Name)                          | Status <sup>(1)</sup>                                | Preferred Habitat       | Flowerin<br>Growth Habit Period | <u>50</u> | Flowering Potential to Period Occur On-Site |
|---|--|-------------------------|---------------------------------|-----------|---|
| felt-leaved monardella (Monardella hypoleuca ssp. lanata) | Federal - former 3c<br>CNPS - List 1B<br>R-E-D 2-2-2 | chaparral               | perennial herb Jun-Jul          |           | not expected                                |
| Campo clarkia<br>(Clarkia delicata)                       | CNPS - List 2<br>R-E-D 1-2-1                         | chaparral, oak woodland | annual herb                     | May-Jun   | not expected                                |

<sup>(1)</sup> Please see Attachment F for Sensitivity Guidelines.

Table 5. Sensitive Wildlife Observed and Potentially Occurring at Ramona Airport

| Common Name<br>(Scientific Name)                              | Status <sup>(1)</sup>                | Preferred Habitat                   | Potential to Occur<br>On-site |
|---|--------------------------------------|-------------------------------------|-------------------------------|
| Riverside fairy shrimp (Streptocephalus woottoni)             | Federal - FE                         | vernal pools                        | low                           |
| vernal pool fairy shrimp (Branchinecta lynchi)                | Federal - FT                         | vernal pools .                      | not expected                  |
| San Diego fairy shrimp (Branchinecta sandiegoensis)           | Federal - FPE                        | vernal pools                        | observed                      |
| southwestern arroyo toad (Bufo microscaphus californicus)     | Federal - FE<br>State - SC           | arroyos, river bottoms              | not expected observed         |
| San Diego horned lizard (Phrynosoma coronatum blainvillei)    | Federal - former C2<br>State - SC    | coastal sage scrub, chaparral       |                               |
| orange-throated whiptail (Cnemidophorus hyperythrus beldingi) | Federal - former C2<br>State - SC    | coastal sage scrub, chaparral       | low                           |
| northern red diamond rattlesnake (Crotalus ruber ruber)       | Federal - former C2<br>State - SC    | rocky brushlands                    | low                           |
| turkey vulture<br>(Cathartes aura)                            | BL<br>Ev                             | open fields, grasslands             | observed                      |
| bald eagle<br>(Haliaeetus leucocephalus)                      | Federal - FT<br>State - CE, CP<br>Ev | around lakes                        | observed                      |
| northern harrier (Circus cyaneus)                             | State - SC                           | grassland, agricultural fields      | observed                      |
| black-shouldered kite (Elanus caeruleus)                      | State - CSA                          |                                     | observed                      |
| sharp-shinned hawk<br>(Accipiter striatus)                    | State - SC                           | woodlands, parks, residential areas | observed                      |
| red-shouldered hawk<br>(Buteo lineatus elegans)               | BL                                   | woodlands, forests                  | observed                      |
| Cooper's hawk<br>(Accipiter cooperi)                          | State - SC<br>Ev                     | woodlands, parks, residential areas | observed                      |
| Swainson's hawk<br>( <i>Buteo swainsoni</i> )                 | State - CT<br>Ev                     | agricultural fields                 | observed                      |
| ferruginous hawk<br>( <i>Buteo regalis</i> )                  | State - SC                           | grasslands, agricultural fields     | observed                      |
| golden eagle<br>(Aquila chrysaetos canadensis)                | State - CP, SC                       | grassland, coastal sage scrub       | observed                      |
| merlin<br>(Falco columbarius)                                 | State - SC                           | grassland                           | low                           |
| orairie falcon<br>(Falco mexicanus)                           | State - SC                           | grassland, agricultural lands       | low                           |
| American peregrine falcon Falco peregrinus anatum)            | Federal - FE<br>State - CE<br>Ev     | mudflats, shores, ponds             | low                           |
| ourrowing owl<br>Athene cunicularia)                          | State - SC<br>Ev                     | grasslands, agricultural fields     | observed                      |

Table 5. Sensitive Wildlife Observed and Potentially Occurring at Ramona Airport

| Common Name<br>(Scientific Name)                                  | Status <sup>(1)</sup>                   | Preferred Habitat                            | Potential to Occur |
|---|---|--|--------------------|
| coastal cactus wren (Campylorhynchus brunneicapilus sandiegoense) | Federal - former C2<br>State - SC<br>Ev | coastal sage scrub, maritime succulent scrub | not expected       |
| California gnatcatcher<br>(Polioptila californica)                | Federal - FT<br>State - SC              | coastal sage scrub                           | not expected       |
| least Bell's vireo<br>(Vireo bellii pusillus)                     | Federal - FT<br>State - CE<br>BL<br>Ev  | riparian woodlands                           | not expected       |